



Supplemental Figure 1. Risk factors for food allergy in patients with pSS analyzed using multivariate logistic regression analysis




Abbreviations: ACD, allergic contact dermatitis; AR/AC, allergic rhinitis/allergic conjunctivitis; CI, confidence interval; OR, odds ratio; pSS, primary Sjögren's syndrome.

Supplemental Figure 2. Risk factors for ACD in patients with pSS analyzed using multivariate logistic regression analysis




Abbreviations: ACD, allergic contact dermatitis; AR/AC, allergic rhinitis/allergic conjunctivitis; CI, confidence interval; OR, odds ratio; pSS, primary Sjögren's syndrome.

Supplemental Figure 3. Risk factors for AR/AC in patients with pSS analyzed using multivariate logistic regression analysis



Abbreviations: ACD, allergic contact dermatitis; AR/AC, allergic rhinitis/allergic conjunctivitis; CI, confidence interval; OR, odds ratio; pSS, primary Sjögren's syndrome.

Supplemental Figure 4. Risk factors for asthma in patients with pSS analyzed using multivariate logistic regression analysis



Abbreviations: AR/AC, allergic rhinitis/allergic conjunctivitis; CI, confidence interval; OR, odds ratio; pSS, primary Sjögren's syndrome.